REQUEST F	OR QUOT		This RFQ is X	is not a small business set-aside						Page	1 Of 34
1. Request No.		Date Issued	3. Requisition/Purchas	e Rec	uest No.	4. C	Cert For Nat D	ef. Under BDS	A .	Ratin	<u> </u>
DAAE07-03-Q-S038		2002DEC16	See Scl				Reg. 2 and/or D				DOA4
5A. Issued By			MECHEN				6. Deliver by	(Date)			
TACOM AMSTA-LC-CHAC			W56HZV					See Sc	hedule		
WARREN, MICHIGAN	N 48397-500	0					7. Delivery				
							Птоп		TI OU		
							FOB Destination	n	X Otl	ner	
5B. For Information	Call: (Name	and telephone	no.) (No collect calls)				20000000	, 			
SARAH DAVIS		(586)574-849	5								
8. To: Name and Ad							9 Destination	n (Consignee a	nd addre	occ in	cluding
o. 10. Name and 210	iaress, meraa	ing Zip Couc					Zip Code)	ii (Consignee a	na aaar	, 111	duning
								See Sc	hedule		
10. Please Furnish	Quotations to	IMPORTA	NT: This is a request fo	r inf	ormation, and quo	tation	ns furnished a	re not offers.	If you ar	re una	ble to quote,
the Issuing Office in		•	cate on this form and re					•			
or Before Close of B (Date)	Business		sts incurred in the prep re of domestic origin unlo								
2003JA	N16		uest for Quotation must				oter. They have	i pi ciutions un	u, or cer		ons utueneu
		1	1. Schedule (Include app	licab	le Federal, State, a	nd lo	cal taxes)				
Item Number		Supplies	s/Services		Quantity		Unit	Unit Pri	ice		Amount
(a)			b)		(c)		(d)	(e)			(f)
		(See So	chedule)								
12. Discount For Pro	omnt Paymen	ıt T	a. 10 Calendar Days	1	b. 20 Calendar Da	ve	c 30 Cel	endar Days	A	Calor	dar Days
12. Discount For Tr	ompt i aymen	u.	a. 10 Calcidat Days		o. 20 Calciluai Da	.ys %	c. 50 Care	Muar Days	Numl		Percentage
NOTE: Additional		_					0 14. 6.	. 1	15 D.4		.4.4
13. Name and Addre Zip Code)	ess of Quoter	(Street, City, C	county, State and		Signature of Perso Quotation	n Aut	thorized to Sig	n	15. Date	of Qu	iotation
Zap Couc)					×						
							16. S	igner			
				a. N	ame (Type or Prin	ıt)	10. 5	gnei	h	. Tele	phone
				,	- (JF- 01 11m	7			Area Co		
				c. T	itle (Type or Print))			Number	•	
AUTHORIZED FO	R LOCAL RI	EPRODUCTIO	N				Stand	lard Form 18 (Rev. 8-9	5)	

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 2 of 34

Name of Offeror or Contractor:

SUPPLEMENTAL	INFORMATION

1

Regulatory Cite	Title	Date
52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	MAR/2001

- (a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at http://contracting.tacom.army.mil/userguide.htm and http://contracting.tacom.army.mil/ebidnotice.htm for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards.
- (e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil
- (f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at http://www.ecrc.ctc.com

[End of Clause]

2 52.215-4854 PAPERLESS ELECTRONIC RESPONSES REQUIRED IN RESPONSE TO THIS JUL/2002 (TACOM) SOLICITATION/REQUEST

TACOM WILL NOT ACCEPT PAPER OFFERS IN RESPONSE TO THIS SOLICITATION/REQUEST. YOU ARE REQUIRED TO SUBMIT YOUR OFFER, BID, OR QUOTE VIA PAPERLESS ELECTRONIC MEDIA. SEE THE PROVISION ENTITLED "ELECTRONIC OFFERS (OR 'QUOTES' OR 'BIDS') REQUIRED IN RESPONSE TO THIS SOLICITATION (OR 'REQUEST FOR QUOTATIONS')" FOR MORE SPECIFIC INFORMATION.

[End of Clause]

Part Number 12461890 is source controlled.

*** END OF NARRATIVE A 001 ***

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD

Page 3 **of** 34

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	Supplies or Services and Prices/Costs				
	NO. 0520 00 520 0450				
	NSN: 2530-00-738-8452 NOUN: WHEEL,PNEUMATIC TIR				
	FSCM: 19207				
	PART NR: 7388452				
	SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	100	EA	\$	\$
	PRON: EH3A1611EH PRON AMD: 01				
	AMS CD: 070011				
	<u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 7388452				
	Packaging and Marking				
	PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS SHEET				
	LEVEL PRESERVATION: Military				
	LEVEL PACKING: A				
	Inspection and Acceptance				
	INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance				
	DOC SUPPL				
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				
	001 W56HZV2305T900 W25G1U J 2 DEL REL CD				
	001 50 0180				
	FOB POINT: Origin				
	Top Total Gragan				
	SHIP TO: FREIGHT ADDRESS				
	(W25G1U) XU TRANSPORTATION OFFICER				
	DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134				
	NEW CUMBERLAND PA 17070-5001				
	DOC SUPPL				
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				
	002 W56HZV2305T901 SW3227 J 2				
	DEL REL CD QUANTITY DAYS AFTER AWARD				
	001 15 0180				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS				
	SHIP TO: <u>FREIGHT ADDRESS</u> (SW3227) DEF DIST DEPOT RED RIVER				
	RECEIVING BLDG 499				
	10TH STREET AND K AVENUE				
	TEXARKANA TX 75507-5000				
	Pod GVDS				
	DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD

Page 4 of 34

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	003 W56HZV2305T902 W62G2T J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 35 0180				
	FOB POINT: Origin				
	SHIP TO: FREIGHT ADDRESS (W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95376-5000				

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD

Page 5 **of** 34

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002	Supplies or Services and Prices/Costs NOUN: WHEEL, PNEUMATIC TIRE FSCM: 19207 PART NR: 7388452 SECURITY CLASS: Unclassified				
0002AA	UNEXERCISED OPTION QUANTITY OPTION QUANTITY, PURSUANT TO SECTION I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY SEPARATELY PRICED LINE ITEM	200	EA	\$	\$
	The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government. The failure of the offeror to insert a unit				
	price applicable to the option quantity shall mean that the offeror will supply all or any part of the option, if exercised by the Government, at the basic contract unit price, and the offer will be evaluated for award accordingly.				
	(End of narrative B001)				
	Description/Specs./Work Statement TOP DRAWING NR: TDP 7388452				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS SHEET LEVEL PRESERVATION: Military LEVEL PACKING: A				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 DEL REL CD QUANTITY DEL DATE 001 200 UNDEFINITIZED				
	FOB POINT: Origin				
	SHIP TO: PARCEL POST ADDRESS (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.				

CO	NT	TI	III	Δ	TI	0	N	SI	H	\mathbf{E}	\mathbf{F}	Г

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 6 of 34

Name of Offeror or Contractor:

CONTRACT CL	AUSES		
3	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
4	52.217-5	EVALUATION OF OPTIONS	JUL/1990
5	52.222-19	CHILD LABORCOOPERATION WITH AUTHORITIES AND REMEDIES	SEP/2002
6	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
7	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUL/2000
8	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFERCENTRAL CONTRACTOR REGISTRATION	MAY/1999
9	52.242-10	F.O.B. ORIGINGOVERNMENT BILLS OF LADING OR PREPAID POSTAGE	APR/1984
10	52.246-2	INSPECTION OF SUPPLIESFIXED PRICE	AUG/1996
11	52.247-1	COMMERCIAL BILL OF LADING NOTATIONS the notation set forth in	APR/1984
		paragraph (a) of the clause applies in this contract. The agency	
		name in line one of the notation shall read:US ARMY TANK-AUTOMOTIVE & ARMAMENTS COMMAND	
12	52.247-29	F.O.B. ORIGIN	JUN/1988
13	52.247-58	LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS	APR/1984
14	52.247-59	F.O.B. ORIGIN - CARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
15	52.247-65	F.O.B. ORIGIN - PREPAID FREIGHT - SMALL PACKAGE SHIPMENTS	JAN/1991
16	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	OCT/2001
17	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	MAR/1998
18	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I	DEC/2000
		dated Dec 2000)	
19	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

- (a) Definition: <u>Qualification requirement</u>, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.
- (b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)

(Name) U.S. Army

(Address) Fort Belvoir Research, Development & Engineering

ATTN: STRBE-TSE

Fort Belvoir, VA 22060-5606

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name		
Manufacturer's Name		
Source's Name		
Item Name		
Service		
Identification	Test Number	(to the extent known

- (d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.
 - (e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 7 **of** 34

Name of Offeror or Contractor:

products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

20 52.219-1 SMALL BUSINESS PROGRAM REPRESENTATIONS--ALTERNATE I dated APR 2002) APR/2002

(a)

- (1) The North American Industry Classification System (NAICS) code for this acquisition is 326211.
- (2) The small business size standard is 1000.
- (3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.
 - (b) Representations.
 - (1) The offeror represents as part of its offer that it $[]$ is, $[]$ is not, a small business concern.
- (2) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents, for general statistical purposes, that it [] is, [] is not, a small disadvantaged business concern as defined in 13 CFR 124.1002.
- (3) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents as part of its offer that it [] is, [] is not, a woman-owned small business concern.
- (4) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offferor represents as part of its offer that it [] is, [] is not, a veteran-owned small business concern.
- (5) [Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (b)(4) of this provision.] The offeror represents as part of its offer that it [] is, [] is not, a service-disabled veteran-owned small business concern.
- (6) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents, as part of its offer, that -
- (i) It [] is, [] is not, a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal office, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR part 126; and
- (ii) It [] is, [] is not, a joint venture that complies with the requirements of 13 CFR part 126, and the representation in paragraph (b)(6)(i) of this provision is accurate of the HUBZone small business concern or concerns that are participating in the joint venture. [The offeror shall enter the name or names of the HUBZone small business concern or concerns that are participating in the joint venture]:

Each HUBZone small business concern participating in the joint venture shall submit a separate signed copy of the HUBZone representation.

- (7) [Complete if offeror represented itself as disadvantaged in paragraph (b)(2) of this provision.] The offeror shall check the category in which its ownership falls:
 - [] Black American.
 - [] Hispanic American.
 - [] Native American (American Indians, Eskimos, Aleuts, or Native Hawaiians).
 - [] Asian-Pacific American (persons with origins from Burma, Thailand, Malaysia, Indonesia, Singapore, Brunei, Japan, China, Taiwan, Laos, Cambodia (Kampuchea), Vietnam, Korea, The Philippines, U.S. Trust Territory of the Pacific Islands (Republic of Palau), Republic of the Marshall Islands, Federated

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 8 **of** 34

Name of Offeror or Contractor:

States of Micronesia, the Commonwealth of the Northern Mariana Islands, Guam, Samoa, Macao, Hong Kong, Fiji, Tonga, Kiribati, Tuvalu, or Nauru).

- [] Subcontinent Asian (Asian-Indian) American (persons with origins from India, Pakistan, Bangladesh, Sri Lanka, Bhutan, the Maldives Islands, or Nepal).
- [] Individual/concern, other than one of the preceding.
- (c) Definitions. As used in this provision--

"Service-disabled veteran-owned small business concern"-

- (1) Means a small business concern-
- (i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and
- (ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.
- (2) Service-disabled veteran means a veteran, as defined in 38 U.S.C. 101(2), with a disability that is service-connected, as defined in 38 U.S.C. 101(16).

"Small business concern," means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR Part 121 and the size standard in paragraph (a) of this provision.

"Veteran-owned small business concern" means a small business concern-

- (1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and
 - (2) The management and daily business operations of which are controlled by one or more veterans.

"Women-owned small business concern," means a small business concern --

- (1) That is at least 51 percent owned by one or more women; or, in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and
 - (2) Whose management and daily business operations are controlled by one or more women.
 - (d) Notice.
- (1) If this solicitation is for supplies and has been set aside, in whole or in part, for small business concerns, then the clause in this solicitation providing notice of the set-aside contains restrictions on the source of the end items to be furnished.
- (2) Under 15 U.S.C. 645(d), any person who misrepresents a firm's status as a small, HUBZone small, small disadvantaged, or women-owned small business concern in order to obtain a contract to be awarded under the preference programs established pursuant to section 8(a), 8(d), 9, or 15 of the Small Business Act or any other provision of Federal law that specifically references section 8(d) for a definition of program eligibility, shall --
 - (i) Be punished by imposition of fine, imprisonment, or both;
 - (ii) Be subject to administrative remedies, including suspension and debarment; and
 - (iii) Be ineligible for participation in programs conducted under the authority of the Act.

[End of Provision]

21 52.204-4006 INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED MAY/2000 (TACOM) ACQUISITIONS AND DESIGNATION OF F.O.B. POINT

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

CONTINUATION SHEET	Reference No. of Document Be	eing Continued	Page 9 of 34
CONTINUATION SHEET	PIIN/SIIN DAAE07-03-Q-S038	MOD/AMD	

Name of Offeror or Contractor:

- (b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: http://contracting.tacom.army.mil/opportunity.htm
- (c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.
 - (d) We hereby specify that the required F.O.B. point for this acquisition is Origin.
- (e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

22 52.211-4015 CONFIGURATION CONTROL--ENGINEERING CHANGES JUL/2002 (TACOM)

(a) DEFINITIONS:

- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
 - (3) Value Engineering Change Proposal (VECP). A proposal that --
 - (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
 - (A) In deliverable end item quantities only;
 - (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
 - (C) To the contract type only.
 - (4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDDs) which can be found at the following website: http://contracting.tacom.army.mil/engr/engrchange.htm. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
 - (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is PH.
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
 - (i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be

Reference No. of Document Being Continued

CONTINUATION SHEET PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD Name of Offeror or Contractor:

sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

- (ii) Files in Adobe PDF (Portable Document Format)
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
 - (d) Submittal Procedures for ECPs/VECPs/RFDs.
 - (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
 - (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer fronczaw@tacom.army.mil and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

- (f) Approval of ECPs, VECPs and RFDs.
- (1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.
- (2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.
 - (3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.
- (g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.
- (h) Reminder Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.
 - (i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.
 - (i) Ouestions.
- (1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance
- (2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form

[End of Clause]

Page 10 of 34

CONTINUATION SHEET	Reference No. of Document Bei	ng Continued	Page 11 of 34
CONTINUATION SHEET	PIIN/SIIN DAAE07-03-Q-S038	MOD/AMD	

Name of Offeror or Contractor:

(a) The purchase description or Technical Data Package (TDP) for this purchase order incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this purchase order, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

- (b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: MIL-C-53072.
- (c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: http://contracting.tacom.army.mil/ciods.html

[End of Clause]

24 52.217-4001 SEPARATELY PRICED OPTION FOR INCREASED QUANTITY APR/1997 (TACOM)

- (a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 200 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA. This option may be exercised by the Government at any time, but in any event not later than 180 days after date of award. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.
- (b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.
- (c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]

25 52.242-4008 ROUTING OF SPECIAL PROCESS APPROVALS AUG/1994 (TACOM)

- (a) Specification TT-C-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.
- (b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.
- (c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

26 52.242-4022 DELIVERY SCHEDULE MAY/2000 (TACOM)

- (a) The following delivery schedule applies to this procurement:
- (1) See the Government's proposed schedule in Section B. Start deliveries 180 days after the date of award. Continue delivering every thirty (30) days, if necessary, until all items are delivered.
 - (2) You can accelerate delivery: At no additional cost to the Government.
 - (3) Delivery is defined as follows:
- (i) FOB Origin Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual order.

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 12 of 34

Name of Offeror or Contractor:

(i	i) FOB De	stination -	- Contractor	is require	d to delive	r its shi	pment as pro	ovided in	FAR 52.247	-34(a)(1)-(2) by the tim
specified in the	individual	order. Th	ne contractor	must take	into consi	deration	the length	of time ne	ecessary to	deliver its	shipment to
the destination d	esignated	in the orde	er, to ensure	that the	item reache	s its des	stination by	the time	reflected :	in the order	-

(b) CONTRACTOR'S PROPOSED SCHEDULE:

	(1)	I WILL S	START	DELIVERIES	 DAYS	AFTER	THE	AWARD	DATE;	OR,	IF	APPLICABLE,	 DAYS	AFTER	AWARD	IF	FIRST	ARTICLE	TEST
IS WAIVED.																			

(2) I WILL DELIVER A QUANTITY OF _____ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF _____ UNITS EVERY 30 DAYS.

ATTENTION: IF YOU DO NOT INSERT A MAXIMUM QUANTITY ABOVE, YOU MAY BE REQUIRED TO DELIVER THE TOTAL QUANTITY ON THIS ORDER IN ONE SHIPMENT.

[End of Clause]

27 52.204-3 TAXPAYER IDENTIFICATION OCT/1998

- (a) Definitions.
- (1) "Common parent," as used in this solicitation provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.
- (2) "Taxpayer Identification Number (TIN)," as used in this provision, means the number required by the Internal Revenue Service (IRS) to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.
- (b) All offerors must submit the information required in paragraphs (d) through (f) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M and implementing regulations issued by the IRS. If the resulting contract is subject to the reporting requirements described in Federal Acquisition Regulation (FAR) 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.
- (c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.
 - (d) Taxpayer Identification Number (TIN).
 - * TIN:_____.
 - * TIN has been applied for.
 - * TIN is not required because:
- * Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the United States and does not have an office or place of business or a fiscal paying agent in the United States;
 - * Offeror is an agency or instrumentality of a foreign government;
 - * Offeror is an agency or instrumentality of a Federal Government;
 - * Other. State basis._____
 - (e) Type of organization.
 - * Sole proprietorship;
 - * Partnership;

(1) It [] has

[] has not

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 13 of 34

Name of Offeror or	r Contractor:	
--------------------	---------------	--

*	* Corporate entity	(not tax-exempt):			
*	* Corporate entity	(tax-exempt):			
t.	* Government entity	(Federal, State, or local);			
F	* Foreign governmen	±;			
*	* International orga	anization per 26 CFR 1.6049-4;			
t	* Other	·			
(f) Co	ommon Parent.				
4	* Offeror is not own	ned or controlled by a common par	ent as defined in paragraph	(a) of this provision.	
*	* Name and TIN of co	ommon parent:			
	Name				
	TIN				
			of Provision		
		,			
28	52.207-4	ECONOMIC PURCHASE QUANTITY	SUPPLIES	AUG/1987	
economic pu	urchase quantity.	lieves that acquisitions in diffe If different quantities are recom that quantity at which a signifi is information is desired as well	mended, a total and a unit p cant price break occurs. If	orice must be quoted for appli	icable items. An
		OFFEROR	RECOMMENDATION		
	ITEM	QUANTITY	PRICE QUOTATION	TOTAL	
assist the amend or ca	Government in deve	dested in this provision is being Loping a data base for future acquion and resolicit with respect to Eferent quantities should be acqui	uisitions of these items. Fany individual item in the	lowever, the Government reserv	res the right to
29	52.222-22	PREVIOUS CONTRACTS AND COMPLI	ANCE REPORTS	FEB/1999	
The of	fferor represents tl	nat			

CONTINUATION SHEET Reference No. of Document Being Continued Page 14 of 34 PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD Name of Offeror or Contractor: (2) It [] has [] has not filed all required compliance reports; and

(3) Representations indicating submission of required compliance reports, signed by proposed subcontractors, will be obtained before subcontract awards.

[End of Provision]

30 52.222-25 AFFIRMATIVE ACTION COMPLIANCE APR/1984

The offeror represents that

(1) It [] has developed and has on file
 [] has not developed and does not have on file,

at each establishment, affirmative action programs required by the rules and regulations of the Secretary of Labor (41 CFR 60-1 and 60-

(2) It [] has not previously had contracts subject to the written affirmative action programs requirement of the rules and regulations of the Secretary of Labor.

[End of Provision]

31 52.246-15 CERTIFICATE OF CONFORMANCE

APR/198

- (a) When authorized in writing by the cognizant Contract Administration Office (CAO), the Contractor shall ship with a Certificate of Conformance any supplies for which the contract would otherwise require inspection at source. In no case shall the Government's right to inspect supplies under the inspection provisions of this contract be prejudiced. Shipments of such supplies will not be made under this contract until use of the Certificate of Conformance has been authorized in writing by the CAO, or inspection or inspection and acceptance have occurred.
- (b) The Contractor's signed certificate shall be attached to or included on the top copy of the inspection or receiving report distributed to the payment office or attached to the CAO copy when contract administration (Block 10 of the DD Form 250) is performed by the Defense Contract Administration Services. In addition, a copy of the signed certificate shall also be attached to or entered on copies of the inspection or receiving report accompanying the shipment.
- (c) The Government has the right to reject defective supplies or services within a reasonable time after delivery by written notification to the Contractor. The Contractor shall in such event promptly replace, correct, or repair the rejected supplies or services at the Contractor's expense.
 - (d) The certificate shall read as follows:

I certify that on ___(date)__, the ___(insert Contractor's name)___ furnished the supplies or services called for by Contract number _____ via ___(Carrier)_ on ___(Identify the bill of lading or shipping document)__ in accordance with all applicable requirements. I further certify that the supplies or services are of the quantity specified and conform in all respects with the contract requirements, including specifications, drawings, preservation, packaging, packing, marking requirements, and physical item identification (part number), and are in the quantity shown on this or on the attached acceptance document.

Date of Execution:

Signature:

Title:

[End of Clause]

ADDITIONAL REQUIREMENTS (TACOM) (NOV 1983)

(a) The Certificate of Conformance shall be executed by an official authorized to sign the contract.

52.247-60

(iii)

Item

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

GUARANTEED SHIPPING CHARACTERISTICS

MOD/AMD

Page 15 of 34

DEC/1989

Name of Offeror or Contractor:

32

(b) In addition to the required distribution of the Certificate(s) as set forth in FAR 52.246-15, the Contractor shall distribute an additional copy of each Certificate to the Procuring Contracting Officer.

[End of Requirements]

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs,

evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that

the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the

costs which would have been incurred if the evaluated shipping characteristics had been accurate. (1) To be completed by the offeror: (i) Type of "Outer" container: Wood Box [], Fiber Box [], Barrel [], Reel [], Drum [], Other (Specify) _ (ii) Shipping configuration: Knocked-down [], Set-up [], Nested [], Other (specify) ___ (iii) Size of outer container: ____ inches (Length), x ____ inches (Width), x ____ inches (Height) = _____ Cubic FT; Number of items per outer container _____ Each; (v) Gross weight of outer container and contents _____ LBS (vi) Palletized/skidded [] Yes [] No; (vii) Number of outer containers per pallet/skid ___ (viii) Weight of empty pallet bottom/skid and sides Size of pallet/skid and contents ___ _____ LBS Cube _ Number of outer containers or pallets/skids per railcar (x)Size of railcar ___ Type of railcar ___ (xi) Number of outer containers or pallets/skids per trailer _____ *--Size of trailer _____ Type of trailer ___ *Number of complete units (contract line item) to be shipped in carrier's equipment. (2) To be completed by the Government after evaluation but before contract award: (i) Rate used in evaluation ____ Tender/Tariff ____; (ii)

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 16 of 34

Name of Offeror or Contractor:

actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of Clause]

33 252.225-7000 BUY AMERICAN ACT--BALANCE OF PAYMENTS PROGRAM CERTIFICATE

SEP/1999

MAY/2002

- (a) Definitions. "Domestic end product," "qualifying country," "qualifying country end product," and "nonqualifying country end product" have the meanings given in the Buy American Act and Balance of Payments Program clause of this solicitation.
- (b) Evaluation. Offers will be evaluated by giving preference to domestic end products and qualifying country end products over nonqualifying country end products.
 - (c) Certifications.
 - (1) The Offeror certifies that-
 - (i) Each end product, except those listed in paragraphs (c)(2) or (3) of this provision, is a domestic end product; and
 - (ii) Components of unknown origin are considered to have been mined, produced, or manufactured outside the United States or a qualifying country.
 - (2) The Offeror certifies that the following end products are qualifying country end products:

Qualifying Country End Products

<u>Line Item Nu</u>	<u>mber</u>	Country of Origin				
(List only qualifying country end products	.)					
(3) The Offeror certifies that t	(3) The Offeror certifies that the following end products are nonqualifying country end products:					
	Nonqualifying Country End Produ	<u>cts</u>				
<u> Line Item Nu</u>	<u>mber</u>	Country of Origin (If known)				
	[End of Provision]					

(a) Definitions. As used in this clause--

252.247-7023

34

(1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002)

- (2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.
- (3) <u>Foreign flag vessel</u> means any vessel that is not a U.S.-flag vessel.
- (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
- (5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

	11
CONTINUATION SHEET	
CONTINUATION SHEET	

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD

Page 17 of 34

- (6) <u>Supplies</u> means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
- (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
- (ii) <u>Supplies</u> includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
- (7) <u>U.S.-flag vessel</u> means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.
 - (b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
 - (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
 - (i) This contract is a construction contract; or
 - (ii) The supplies being transported are-
 - (A) Noncommercial items; or
 - (B) Commercial items that-
 - (1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
 - (2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces
 - deployed in humanitarian or peacekeeping operations; or

 (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in
 - accordance with 10 U.S.C. 2643.
- (c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--
 - (1) U.S.-flag vessels are not available for timely shipment;
 - (2) The freight charges are inordinately excessive or unreasonable; or
 - (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--
 - (1) Type, weight, and cube of cargo;
 - (2) Required shipping date;
 - (3) Special handling and discharge requirements;
 - (4) Loading and discharge points;
 - (5) Name of shipper and consignee;
 - (6) Prime contract number; and
- (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.
- (e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information-
 - (1) Prime contract number;
 - (2) Name of vessel;

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD

Name of Offeror or Contractor:

(3) Vessel flag of registry;

CONTINUATION SHEET

(4) Date of loading;

(5) Port of loading;

- (6) Port of final discharge;
- (7) Description of commodity;
- (8) Gross weight in pounds and cubic feet if available;
- (9) Total ocean freight in U.S. dollars; and
- (10) Name of the steamship company.
- (f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

52.204-4005 REQUIRED USE OF ELECTRONIC COMMERCE 35 (TACOM)

MAY/2000

Page 18 of 34

- (a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website
- (b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: http://www.ccr2000.com . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)
- (c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards_official.htm Rock Island: http://aais.ria.army.mil/AAIS/AWDINFO/index.htm Picatinny: http://procnet.pica.army.mil/Contracts/Index.htm

Red River Army Depot: http://www.redriver.army.mil/contracting/Awards

Anniston Army Depot: http://www.anadprocnet.army.mil

- (d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.
- (1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".
- (2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at $\verb|http://www.acq.osd.mil/ec/ecip/index.htm|. If your VAN is later removed from the official list, or if you voluntarily drop your limits of the option of$ initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.
 - (e) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (810) 574-7059.

[End of Clause]

OFFEROR'S DATAFAX NUMBER, E-MAIL ADDRESS, AND CAGE CODE

36

CONTINUATION CHEET	Reference No. of Document B	Page 19 of 34				
CONTINUATION SHEET	PIIN/SIIN DAAE07-03-Q-S038	MOD/AMD				
Name of Offeror or Contractor:						
(a) If you have a company data fax nu	umber, please provide it on the follow	ring line:				
(b) If you have a company Internet address that we can use in the future when sending out electronic notices and possibly plicitations, please provide the complete e-mail address on the following line:						
(c) Provide your CAGE (Contractor And	d Government Entity) code here:					

[End of Provision]

37 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999 (TACOM)

- (a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)
- (b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.
- (c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).
- (d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.
- (e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

38 52.211-4008 DRAWING LIMITATIONS NOV/2002 (TACOM)

- (a) The drawings supplied with this contract are <u>not</u> shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:
 - (1) depict the completed (item(s), and
 - (2) serve as the basis for inspection of the completed item(s).
- (b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.
- (c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.
- (d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.
- (e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

CO	NT	TI	III	Δ	TI	0	N	SI	H	\mathbf{E}	\mathbf{F}	Г

Reference No. of Document Being Continued

MOD/AMD

PIIN/SIIN DAAE07-03-Q-S038

Page 20 of 34

Name of Offeror or Contractor:

39 52.211-4016 TT-C-490, TYPE I, ZINC PHOSPHATE PRETREATMENT SYSTEMS FOR CARC OCT/2002

- (a) If the technical data package requires the use of a TT-C-490, Type I, pretreatment system, the process including primer application must be approved by the procuring activity prior to use. All approved facilities have been provided a letter of system approval which identifies the specific phosphate chemical system and the limitations/exceptions authorized. These approval letters must be dated no later than January 1989. Letters of approval which do not identify the chemical system are limited to approval on a specific contract only and do not have carte blanc approval. Approvals are substrate specific. The default qualification is low carbon steel. Heat treated, low alloy steel and galvanized steels require special qualification.
- (b) Any zinc phosphate application facility requesting approval must submit the procedure to TACOM, ATTN: AMSTA-TR-E/267 for review at least 35 days before planned start-up. The procedure must identify the prime contractor and the contract number. The procedure must contain all the elements required per paragraph 3.2 of TT-C-490. A qualification audit will be arranged with the facility. The facility must demonstrate its ability to perform all required process control tests and operate successfully within its designated operating parameters.
- (c) If the contractor cannot find a capable facility within his area, he can contact TACOM Materials Engineering at (586) 574-5083 for a partial list of approved facilities. Not all geographic areas are represented in the listing. The approved facility is required to perform all process control tests noted in the specification.
- (d) For all TT-C-490, Type I facilities, the sentence "Sampling may then be reduced to one sample twice per week" in paragraph 4.2.8 of TT-C-490 is deleted and replaced with the following " Sampling for production control is required with the testing of two phosphated and primed specimens per month for each solvent-borne primer used and two specimens every two months for electrocoat primers".

 (End of clause)
 - 40 52.211-4017 ENHANCED CARC REQUIREMENTS FOR HIGH PERFORMANCE SYSTEMS JAN/2002
- (a) THE FOLLOWING REQUIREMENTS SUPERSEDE THE PERFORMANCE REQUIREMENTS CONTAINED IN TT-C-490, MIL-C-5541 AND MIL-C-53072 RELATIVE TO THE ADHESION AND CORROSION RESISTANCE OF THE CARC SYSTEM:
- (b) Ferrous and galvanized surfaces shall be cleaned and pretreated to provide the following level of performance on a repeatable basis. The cleaning/pretreatment/control process shall be documented and submitted to the procuring activity for approval prior to production. Qualification and process control testing shall be performed on the same substrate used in production. The system under test shall consist of the pretreatment and primer. There are significant variations in performance due to primer manufacturer, VOC content and primer thickness variation. Sufficient testing shall be conducted to achieve a statistical confidence in both the brand/type of primer used and the dry film thickness used in production. If the tolerance of the dry film thickness exceeds plus or minus 1.0 mil then you must qualify the extremes of the range separately.
- (c) To verify the corrosion resistance, a minimum of three test panels per test variation no smaller than 4 x 12 inches with the pretreatment/primer system as noted above shall be subjected to 1000 hr. of neutral salt spray per ASTM B117 (40 cycles of GM 9540P scribed is the preferred alternative) for ferrous substrates or 40 cycles of GM 9540P for galvanized surfaces. The test panels shall be cured for a minimum of 7 days and vertically scribed through the coating system to the metallic layer. A minimum of 24 hr. after the completion of the neutral salt spray test or within 5 days after completion of the GM 9540P test the scribe shall be scraped at a 30 degree (approximate) contact angle with a 38mm (approximate) blunt tipped metal blade such as a putty knife parallel and perpendicular to the scribe. There shall be no more than 3mm maximum loss of paint adhesion or corrosion at any point from the scribe line. In addition, there shall be no more than 5 blisters in the field with none exceeding 1mm; corrosion in the field shall not exceed Rust Grade 9 of ASTM D610. The minimum primer dry film thickness noted on the test panels which pases the corrosion resistance test shall be the minimum requirement for production painted hardware.
- (d) To verify long term CARC adhesion, after completion of the corrosion resistance test evaluation each test panel will be subjected to cross hatch tape test (minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 x 4 scribe lines to the metallic layer at 2mm intervals(approximate) and shall be done no closer than 12 mm from any edge or the scribe creep. Multiple head cutters are not recommended. Loss of two or more complete primer squares shall constitute failure.
- (e) The contractor must demonstrate the ability to pass both tests for the system to be considered acceptable. This testing shall be performed on 5 consecutive days of production. If all test panels are acceptable, the testing can revert to two test panels every two months of production.
 - (f) The only system that is currently available to achieve this level of performance is a zinc phosphate pretreatment system per

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 21 of 34

Name of Offeror or Contractor:

TT-C-490 with a high quality primer. All primers used must be on the QPL for MIL-P-23377, 53022, -53030, or 53084. Not all QPL primers with the exception of electrocoat primers per MIL-C-53084 have this level of corrosion resistance/paint adhesion, however.

New high performance, "Combat Grade" Powder Coat Primers will also meet this performance requirement. These primers can only be applied by approved applicators. The Specification controlling both the primers and their application are available upon request from AMSTA-TR-E/MEPS, (586) 574-5083.

Note: Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed for the coating system to pass these performance tests.

- (g) For aluminum substrates the required pretreatment system is a chromate conversion per MIL-C-5541. If alternative pretreatment systems wish to be considered, they must demonstrate their ability to pass when coated with the nominal production primer (scribed) 120 cycles of GM 9540P. After completion of the test, the panels shall be scraped as noted above and shall have no more than 0.5mm of paint loss maximum from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm. After completion of the 120 cycle test, the cross hatch scribe test noted above shall be performed. The removal of one or more complete squares of primer shall constitute failure. The alternate system must demonstrate its ability to provide an acceptable product on 5 consecutive days of production to be considered a suitable alternative. The alternative process must be documented and approved by the procuring activity. Controls must be established to assure that the process remains under statistical control. The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.
- (g) Failure to meet the corrosion resistance/adhesion requirements shall be cause for rejection of all production units manufactured during that production interval.
- (h) Final Acceptance of the CARC Finish on Production Hardware:

The dry film thicknesses of the primer and topcoat as well as coating adhesion on the fully cured primer/topcoat coating system are mandatory requirements. Variations in the primer thickness and curing conditions will dramatically affect recoat windows and coating performance for some primers. Manufacturing processes which are unable to control the dry film thickness to the requirements contained in Table V of MIL-C-53072 shall be subjected to the 4 x 4 cross hatch scribe test noted above on two production units per lot with two tests per unit. One test shall be conducted on a vertical and one on a horizontal surface (relative to the painting process). There shall be a maximum removal of one complete square of primer/topcoat or topcoat only. The polyurethane CARC topcoat requires approximately 24 days to completely cure at 68 Degrees F. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190-210 degrees F for three hours (this is time at temperature and is, therefore, material thickness dependent) once the topcoat has reached a dry-to-touch condition. This is to be followed by 7 days at 65 degrees F minimum. Adhesion testing shall be performed only on a completely cured CARC finish. Contractors which have performed a thorough design of experiments methodology to evaluate the impact of paint system variables or have processes which meet Table V requirements can perform the final acceptance adhesion test on representative test coupons.

[End of Clause]

41 52.211-4021 (TACOM)

WELDING SYMBOLS - CLARIFICATION OF GROOVE WELDING SYMBOL

APR/1995

MAR/2001

the drawing doesn't specify an effective throat and/or weld size, interpret the dimension to the left of the groove welding symbol to mean both depth of preparation and effective throat/weld size.

[End of Clause]

You must interpret welding symbols in accordance with AWS A2.4, except in the case of groove welds. In the case of groove welds, if

52.211-4030

SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS

(TACOM) (CARC) ON METALLIC SURFACES

(a) Application: MIL-C-46168

MIL-C-53039

MIL-PRF-22750

(b) End-Item Paint Inspection: After the complete paint finish has been applied and cured* (See *Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a <u>lot</u> shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as

Reference No. of D	Document Being Continued
--------------------	---------------------------------

PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD

Page 22 of 34

Name of Offeror or Contractor:

well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

CONTINUATION SHEET

- (c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.
- (d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.

*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.

(e) Test Methods:

- (1) <u>Film Thickness</u>. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.
- (2) <u>Scribe Tape Test</u>. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:
- (i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.
- (ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.
- (iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.
- (iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

(f) <u>Interpretation of Test Results</u>

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils)
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5

CONTINUATION SHEET	Reference No. of Document Bo	Page 23 of 34	
CONTINUATION SHEET	PIIN/SIIN DAAE07-03-Q-S038	MOD/AMD	
Name of Offeror or Contractor:	•		

MIL-C-46168 1.8 - 3.2

*May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]

43 52.211-4036 FORMAT OF THE TECHNICAL DATA PACKAGE APR/2000 (TACOM)

- (a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.
- (b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM AMSTA-CM-CDD (TDP Requests) Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Terri McGregor at (810) 574-7058 or Rick Khouri at (810) 574-7064.

[End of Provision]

44 52.211-4047 NOTICE TO OFFERORS INTENDING TO OFFER OTHER THAN NEW MATERIAL APR/2000 (TACOM) (NEGOTIATED)

- (a) We intend to acquire only new material. Unless this contract otherwise requires virgin material or supplies composed of, or manufactured from, virgin material, the contractor shall provide supplies that are new, as defined in this clause.
 - (b) Definitions:
- (1) "New" means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.
 - (2) "Reconditioned" means restored to the original normal operating condition by readjustments and material replacement.

	Reference No. of Document Being Continued
CONTINUATION SHEET	Ŭ

PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD

Page 24 of 34

Name of Offeror or Contractor:

- (3) "Recovered material" means waste materials and by-products that have been recovered or diverted from solid waste including post-consumer material, but such term does not include those materials and by-products generated from, and commonly reused within, an original manufacturing process.
 - (4) "Remanufactured" means factory rebuilt to original specifications.
- (5) "Virgin material" means previously unused raw material, including previously unused copper, aluminum, lead, zinc, iron, other metal or metal ore, or any undeveloped resource that is, or with new technology will become, a source of raw materials
 - (6) "Residual Inventory" means inventory from a transferred or terminated Government or commercial contract.
- (c) Used, reconditioned, remanufactured supplies, unused former Government surplus property, or residual inventory shall not be used unless the contractor has proposed the use of such supplies, and the Contracting Officer has authorized their use.
 - (d) Offers to provide other than new material shall be submitted to the Contracting Officer for approval:
- (7) A proposal to provide unused former Government surplus property shall include a complete description of the material, the quantity, the name of the Government agency from which acquired, and the date of acquisition.
- (8) A proposal to provide used, reconditioned, or remanufactured supplies shall include a detailed description of such supplies.
- (9) A proposal to provide residual inventory shall include the Government or commercial contract number of the terminated contract and the name of the original contractor.
- (e) If the use of used, reconditioned, remanufactured items, unused former Government surplus property, or residual inventory are approved by the Contracting Officer, we may require you to meet specific marking, inspection, and testing requirements beyond those found in this solicitation. We will negotiate these additional requirements with you before award and put them in any resulting contract.

[End of Clause]

45 52.211-4052 SOURCE NOTES ON DRAWINGS: CONFORMANCE TO MILITARY TECHNICAL DATA JAN/1984 (TACOM) REOUIREMENTS

Notwithstanding the fact that ordnance drawings furnished with this solicitation may list particular manufacturer part numbers as approved sources, or as being the same as, or equivalent to, the ordnance part described on the drawing, the item to be supplied under this solicitation must conform to all specific technical requirements expressed on such drawing(s). To the extent that there may be any inconsistency between a manufacturer's part number and specific technical requirements expressed on an ordnance drawing which references the manufacturer's part number, the specific technical requirements shall control and take precedence. Offerors shall bear the responsibility of verifying that the approved part as supplied will conform with all such specific technical requirements.

[End of Provision]

46 52.211-4054 PACKING/PACKAGING LEVEL FOR OPTION QUANTITIES FEB/1994 (TACOM)

For purposes of computing a price for the option quantity specified in Section B of this solicitation and unless otherwise indicated in Section B, it is understood and agreed that the option unit price includes the same level(s) of packing/packaging as those that apply to the basic contract quantity.

[End of Provision]

47 52.211-4069 WELDING INSPECTION REQUIREMENTS MAR/2001 (TACOM)

- (a) INSPECTION: As the contractor, during performance of this contract you will verify weld quality and workmanship using qualified inspectors trained to perform these inspection functions. Acceptable qualification of your inspectors may be based on:
 - (1) current or previous certification as an AWS Certified Welding Inspector; or
 - (2) current or previous certification by the Canadian Welding Bureau (CWB); or

	I.
CONTINUATION SHEET	

Reference No. of Document Being Continued

Page 25 of 34

PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD

Name of Offeror or Contractor:

(3) inspection performed by an engineer or technician who is competent in the use of weld inspection techniques and equipment, on the basis of (i) formal training or (ii) experience, or both, in metals fabrication, inspection, and testing.

(b) NON BALLISTIC VISUAL INSPECTION. You will perform all non-ballistic visual inspections of weld quality and workmanship for structural steel in accordance with Section 6 of AWS D1.1-96. For structural aluminum, you may perform non-ballistic visual inspections of weld quality and workmanship using the guidelines given in MIL-STD-370A, dated 21 Sep 93.

(c) BALLISTIC VISUAL INSPECTION. You will perform all ballistic visual inspections in accordance with section 6 of the UDLP/TACOM Ground Combat Vehicle Code--Aluminum, dated July 1996. Copies of this document can be obtained by written request to:

Commander, US Army Tank-automotive and Armaments Command

ATTN: AMSTA-TR-E/Materials Warren, MI 48397-5000

[End of Clause]

48 52.213-4859 ELECTRONIC QUOTATIONS REQUIRED IN RESPONSE TO THIS REQUEST FOR JUL/2001 (TACOM)

- (a) You must submit your quotation via paperless electronic media (See paragraph (b) below.). Quotations submitted in paper form are unacceptable. You must submit your electronic quotation, and any supplemental information (such as spreadsheets, backup data, technical information), using any of the following electronic formats:
- (1) Files readable using these Microsoft* 97 Office Products (TACOM can currently read Ofice 97* and lower.): Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a format that includes all formulae, macro and format information. Print image is not acceptable. Executable files, other than self-extracting compressed files, are unacceptable.
 - (2) Files in Adobe PDF (Portable Document Format). Scanners should be set to 200 dots per inch.
- (3) Files in HTML (Hypertext Markup Language). HTML documents must not contain active inks to live Internet sites or pages. All linked information must be contained within your electronic quotation and be accessible offline.
- (4) Other electronic formats. Before preparing your quotation in any other electronic format, please e-mail the buyer identified in Block 5(b) of the SF 18 cover sheet, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the due date for quotations. Failure to e-mail the buyer within this timeframe to seek an alternate format's acceptability may result in non-consideration of your quotation. All alternate methods must be at no cost to the Government.

Note: The above formats may be submitted in compressed form using self-extracting files.

- (b) Acceptable media: 100 or 250 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, E-mail, or datafax. You must identify the software application, and version, that you used to create each file submitted. The word "datafax" used in this clause means "facsimile" as defined at FAR 52.215-5.
- (1) 100 or 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, or 650 MEGABYTE CD ROM via U.S. Mail or other carrier. Quoter shall label any and all submitted disks with the solicitation number and due date for quotations, and the quoter's name and address and contact phone number. In the event of multiple submitted quotations, place each quotation/submission on its own disk(s) (one quotation can comprise multiple disks). You must also submit only one quotation per envelope. Submit only one (1) of each disk (no additional copies required).
- (2) E-mail. If you choose to use e-mail, ADDRESS YOUR QUOTATION TO THE BUYER identified in Block 5(b) of the SF18 cover sheet. THE SUBJECT LINE OF THE E-MAIL MUST READ "QUOTATION --[Request for Quotation number], [name of Company/offeror], DUE [due date]". Maximum size of each e-mail message shall be three and one-half (3.5) megabytes. Any compressed files must be self-extracting, and you must provide appropriate instructions. You may use multiple e-mail messages for each quotation, however, you must annotate the subject lines as described above for each message, and number them in this manner: "Message 1 of 3, 2 of 3, 3 of 3".
- (3) DATAFAX. Faxed offers MUST BE SENT TO TACOM'S NETWORK FAX SERVER ON 1-586-574-5527. Paper faxes are not acceptable. Transmit only one quotation for each datafax transaction. Clearly identify the quotation as such on your fax cover page or via your PC, include your company's name, and state the proper internal TACOM address: the buyer's e-mail address found on the front page of the solicitation. Quoters may send a fax using a personal computer or standalone fax machine, but it must be sent to the above number. If you use a standalone fax machine, you won't receive a confirmation of receipt. See paragraph (e) below for the minimum requirements of your offer. Maximum size of datafax quotations is three and one-half megabytes (3.5MB), the same limitation as that for e-mail quotations. For your datafax, use the same subject line as that for e-mails as indicated above: "OFFER--[solicitation number], [name

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 26 of 34

Name of Offeror or Contractor:

of your Company/offeror], CLOSES [closing date]".

Note: Please select only one medium by which to transmit each quotation. For instance, do not submit a quotation via 100 or 250 megabyte Zip*-disk AND e-mail.

- (c) Security Note: If you choose to password-protect access to your quotation, you must provide the password to TACOM before the due date for quotations. Contact the buyer identified in Block 5(b) of the SF18 Request for Quotation cover sheet to arrange a means of providing it. Passwords used only for the purpose of write protecting files need not be provided.
 - (d) Electronic quotations should include, as a minimum:
 - (1) The SF18 cover sheet filled out, or equivalent information.
- (2) All applicable fill-in provisions, filled in. You may find Word versions of these provisions requiring your fill-in on our TACOM Business Opportunities webpage (http://contracting.tacom.army.mil/mastersol/sectionk.htm). You can fill them in and attach them to your quote. See the solicitation for which provisions are required.
 - (3) A statement of agreement to all the terms, conditions, and provisions of this Request for Quotations.
 - (4) Any other information required by the Request for Quotations.
 - (e) Quoters shall make every effort to ensure that their quotation is virus-free.

*Registered trademark

[End of provision]

49 52.214-4003 ALL OR NONE (TACOM)

JUN/1985

Only one award will be made as a result of this solicitation. Offers must be submitted for the total quantity of all the items listed. Offers for less than the total quantities of all the items will not be considered.

[End of Clause]

50 52.215-4404 DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY MAY/2002
The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.

Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of clause]

51 52.217-4003 EVALUATION OF INCOMPLETE OPTION PRICING (TACOM)

MAY/2000

- (a) Per FAR 17.203(d), offerors may price the option CLIN in this solicitation incrementally, by entering different option unit prices that will apply to different subquantities or quantity ranges (in the event that the Government elects to exercise less than 100% of the option). Notwithstanding this fact, the provision entitled EVALUATION OF OPTIONS (FAR 52.217-5, located elsewhere in this solicitation) indicates that the Government's evaluation for contract award will include each offeror's price for 100% of the option quantity.
- (b) In light of the above, if an offeror specifies unit prices that apply to one or more option quantity ranges, but does not specify a unit price for 100% of the option, the Government will evaluate that offer for award as follows. The option price for such offer shall be deemed to be the higher of (i) the unit price that applies to the basic (non-option) quantity, or (ii) the highest unit price that is identified against any range or subquantity of the option CLIN.

	Reference No. of Document Being Continued
CONTINUATION SHEET	

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 27 of 34

Name of Offeror or Contractor:

[End of Provision]

52 52.223-4002 USE OF CLASS I OZONE-DEPLETING SUBSTANCES (CIODS) DEC/1993 (TACOM)

- (a) Definitions.
- (1) Class I Ozone-Depleting Substances (CIODS) refers to the class of substances identified in Section 602(a) of the Clean Air Act, (42 U.S.C. 7671a(a)), as reproduced below:
 - chlorofluorocarbon-11 (CFC-11) (i) (ii) chlorofluorocarbon-12 (CFC-12) (iii) chlorofluorocarbon-13 (CFC-13) (iv) chlorofluorocarbon-111 (CFC-111) chlorofluorocarbon-112 (CFC-112) (v) (vi) chlorofluorocarbon-113 (CFC-113) (vii) chlorofluorocarbon-114 (CFC-114) chlorofluorocarbon-115 (CFC-115) (viii) (ix) chlorofluorocarbon-211 (CFC-211) chlorofluorocarbon-212 (CFC-212) (x)chlorofluorocarbon-213 (CFC-213) (xi) (xii) chlorofluorocarbon-214 (CFC-214) chlorofluorocarbon-215 (CFC-215) (xiii) (xiv) chlorofluorocarbon-216 (CFC-216) (xv) chlorofluorocarbon-217 (CFC-217) halon-1211 (xvi) halon-1301 (xvii) (xviii) halon-2402 (xix) carbon tetrachloride (xx) methyl chloroform (xxi) Methyl bromide (xxii) hydrobromofluorocarbons (HBFCs) (xxiii) All isomers of the substances listed in this paragraph (a)(1) except for 1,1,2-trichloroethane, which is an isomer of methyl chloroform.
- (2) <u>Directly requires the use of CIODS</u> means that the Government's specification or technical data package, at any tier, explicitly requires the use of any Class I Ozone-Depleting Substance (CIODS) in performance of the contract.
- (3) <u>Indirectly requires the use of CIODS</u> means that the Government's specification or technical data package, while not explicitly requiring the use of any CIODS, does require a feature that you can meet or produce only by the use of CIODS.
- (b) Per Section 326 of Public Law 102-484, the Department of Defense cannot award any contract that directly or indirectly requires the use of CIODS unless (i) the use of such substances is essential for contract performance, and (ii) no suitable substitute for the CIODS currently is available.
- (c) Before releasing this solicitation, we conducted a best effort review of its technical requirements, standards, and specifications, to see if any contain requirements for CIODS. If we identified any such CIODS requirements, they are identified in subparagraph (d)(1) below.
- (1) In addition, to help TACOM meet its obligations under Public Law 102-484, we ask you for input. If you have any special knowledge about any CIODS requirements that our specifications impose, whether directly or indirectly, or if you know about potential substitutes for any CIODS required by our specifications, we would appreciate the information.
- (2) It should be understood that you are not obligated to give us the information requested by this provision, and that we cannot provide any separate or special payment for doing so. However, we are asking only for information based on knowledge that is readily available to you as a supplier in this industry. We do not expect you to do any review of our specifications more extensive than the one you perform in order to develop your price.
 - (d) Please summarize your own review of our specification/technical data package, by completing the following:
 - (1) During our review of the specification or technical data package in this solicitation, we-
 - [] have

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 28 of 34

Name of Offeror or Contractor:

Γ	1	have	not

any specifications and standards	not already listed i	mmediately below that direc	erors are asked to identify, on the following lines, (i) otly require the use of CIODS; (ii) the CIODS required by known to be available for the listed CIODS.)
			Substitute
	<u>Spec/Standard</u>	Required CIODS	Available?
(2) Further, in our r	eview of the specific	ation or technical data pac	ckage in this solicitation, we
[] have [] have not			
specifications and standards for	this acquisition tha	t indirectly require the us	we are asked to identify, on the following lines, (i) the se of CIODS; (ii) the CIODS indirectly required by each to be available for the listed CIODS.)
	- (Substitute
	<u>Spec/Standard</u>	Required CIODS	Available?
			
	If an available subs	titute would perform less v	quested to say whether substitutes are known to be well than the CIODS would perform, please let us know available.
know whether use of the suggeste	d substitute would hars from what your pri	ve any effect on your propo ce would be if the substitu	ated that substitutes for CIODS are available, we need to osed price. If your proposal price for compliance with ute for CIODS were required, we ask that you let us know o prices or offers:
One price/offer, lab	eled <u>with CIODS,</u> will	be the offered price in the	he event that CIODS are used.
The second price/off the substitute(s) being proposed		<u>TODS</u> , will be the price of	fered if substitutes for CIODS are used, and will specify
reason, TACOM reserves the right	to (i) determine the	suitability of substitutes	onal interest in minimizing the use of CIODS. For this s for CIODS when such potential substitutes are t of this solicitation, to require the use of suitable
		[End of Provision]	
53 52.246-4005 (TACOM)	INSPECTION AND ACCEP	TANCE POINTS: ORIGIN	FEB/1995
	address of his facil		his order shall take place at ORIGIN. Offeror must s facility, where supplies to be furnished under this
Contractor's Plant:			
		(Name and Address)	
Subcontractor's Plant:			
baseoneraceor s Franc.		(Name and Address)	

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Bei	Page 29 of 34	
	PIIN/SIIN DAAE07-03-Q-S038	MOD/AMD	
N. 6.066 C. 4 4			•

Name of Offeror or Contractor:

- 54 52.246-4019 VISUAL INSPECTION CRITERIA FOR STEEL WELDMENTS MAR/2001 (TACOM)
- (a) Application: MIL-STD-1261
- (b) Scope:
- (1) These criteria supplement paragraph 4.3 of MIL-STD-1261 and supersede paragraph 6.3.1.5 of MIL-W-46086 and paragraph 5.9.1.5 of MIL-STD-1941. AWS A3.0 shall be used to define all other welding terms not defined herein.
- (2) The limits established below represent the maximum discontinuities allowable for visual inspection of workmanship specimens and production steel weldments. (Note: Workmanship specimens which require cross-sectioning must also be evaluated for subsurface quality; these criteria are not contained herein.) Any discontinuity exceeding this limit is classified as defective and must be reworked or repaired dependent upon the nature and extent of the discontinuity. Weldments requiring subsurface weld inspection should be evaluated in accordance with the acceptance standard specified on the drawing in addition to these requirements.
 - (c) <u>Discontinuities:</u>
- (1) <u>Cracks</u> A weld crack is defined as a linear rupture resulting from excessive localized stress. Cracks can occur in the weld metal, fusion zone or heat affected zone. No cracks are allowed
- (2) <u>Porosity</u> Porosity is defined as a rounded cavity free of solid material resulting from gas entrapment during solidification.
 - (i) Maximum pore size shall be 1/16 inch.
 - (ii) There shall be no more than six pores for any twelve inch length of weld. For small weldments with continuous welds less than twelve inches in length, they shall have proportionately fewer pores allowed (example: three pores maximum for six inch length of weld).
 - (3) Overlap Overlap is defined as a protrusion of weld metal beyond the bond at the toe of the weld.
 - (i) A radiused tie-in must exist with the parent metal.
 - (ii) The overlap condition must not exceed 10% of the total weld length.
- (4) <u>Slag Inclusion</u> Slag inclusion is defined as a non-metallic solid material entrapped in or on the weld metal or between the weld metal and base metal. This discontinuity is applicable to SMA and FCAW processes. No slag inclusions are allowed.
- (5) <u>Undercut</u> Undercut is defined as a groove melted into the base material adjacent to the toe of the weld and left unfilled by weld metal.
 - (i) For base materials .25 inch and less in thickness, no undercutting is permitted.
 - (ii) For base materials greater than .25 inch thickness:
 - (A) The maximum depth of undercut shall be 1/32 inch.
 - (B) The undercut must have a width not less than twice the depth.
 - (C) The length of undercut shall not exceed two inches cumulative in any continuous 24 inch length of weld. For continuous welds less than 24 inches in length, the maximum cumulative length shall be in direct proportion to this limit or one inch, whichever is greater. (For example: for an eight inch continuous length of weld, maximum cumulative allowable undercut length is one inch).

(d) Weld Size:

- (1) Fillet Welds:
 - (i) Fillet welds shall be measured using fillet weld gages.
 - (ii) For welds one-fourth inch and less, the weld size is the minimum as specified on the drawing symbol.
 - (iii) For fillet welds larger than one-fourth inch, the weld may be undersize by 1/16 inch for a maximum length of 10% of the continuous weld length.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 30 of 34
	PIIN/SIIN DAAE07-03-Q-S038 MOD/AMD	

Name of Offeror or Contractor:

(2) <u>Groove Welds:</u> No underfill is allowed.

[End of Clause]

55 52.246-4026 LOCAL ADDRESS FOR DD FORM 250 (TACOM)

MAR/2002

- (a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:
 - (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7552 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

- (b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.
 - (c) The DD250 form may be found, in three different formats, on the World Wide Web at http://web1.whs.osd.mil/icdhome/DD-0999.htm

[End of Clause]

56 52.246-4045 CRITICALITY OF THE CONTRACT ITEM

AUG/1994

The contract item has critical application. Before we formally accept the contract item you or we must perform specific critical inspections of the supplies as the quality assurance requirements in the TDP (Technical Data Package) mandate. Reference DFARS 246.203(c).

[End of Clause]

57 52.247-4005 SHIPMENT OF SUPPLIES AND DETENTION OF CARRIER'S EQUIPMENT (TACOM)

FEB/2002

- (a) Unless otherwise directed, shipment items under this contract in following order of priority:
 - (1) Government Bill(s)/Commercial of Lading or US Postal Services;
 - (2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or
 - (3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.
- (b) The Contractor will request:
 - (1) Government Bills of Lading and
- (2) Routing and other instructions, including MILSTAMP (Military Standard Transportation and Movement Procedure), as to the methods of shipment to be followed by the Contractor, or
- (c) The Contractor and subcontractor(s) must allow prompt and convenient access of carrier's equipment to loading docks or platforms where the contract items supplies will be loaded. Any charges for detention of carrier's equipment shall be for the account of the Contractor, except when the detention is required or caused by the Government.

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-Q-S038

MOD/AMD

Page 31 of 34

Name of	Offeror or Contracto	or:				
			[End of Claus	se]		
58	52.247-4010 (TACOM)	TRANSPORTATION DAT	TA FOR FOB ORIGIN OFF	FERS	FEB/	1994
		ing information for us		the most favorable	e mode of shipment. We	'll also use this
	Offeror represents	that:				
	(1) Facilities for	r shipping by rail				
	[] are [] are not					
available	at the F.O.B. point	t(s) stated in this sol	licitation.			
	(2) If rail facil:	ities are not available	e at the F.O.B. point	c(s), the name and	location of the neares	t team track is:
		(NAME)		(LOCATION)		
	(3) Facilities for	r shipping by water				
	[] are [] are not					
available	at the F.O.B. point	t(s) stated in this sol	licitation.			
	(4) Facilities for	r shipping by motor				
	[] are [] are not					
available	at the F.O.B. point	t(s) stated in this sol	licitation.			
please in	(5) If there is a dicate it below, per	Contractor Reimbursabl r unit:	le Loading Charge and	l you didn't includ	le it in the offered un	it price in Section B
	RAIL:	/Unit MOTOR:	/Unit	WATER:	/Unit	
		EIMBURSABLE LOADING CHA			PRICE) ON A PER UNIT BA	SIS. THE UNIT
the above in Section	information for loan n B. These costs in	ny charge listed above ading charges, we will nclude: (i) loading, delivery F.O.B. carrier	consider all costs a	associated with load) bracing, (iv)	ding to be included in drayage, (v) switching	the item price offere g, or (vi) any other
Administr	ative Contracting O	aren't available at th fficer (ACO). If the A above for transportati	ACO tells you rail fa	acilities will be u		
		IN AN ADDITIONAL CHARG			THAT THE CONTRACT PRICE	ALREADY INCLUDES ALL
			[End of Provisi	lon]		
59	52.247-4015 (TACOM)	EVALUATION OF TRAN	NSPORTATION COSTS FOR	R OPTIONS (F.O.B. C	ORIGIN) MAR/	2002

(a) We will compute and identify transportation costs pertaining to the option quantity identified in Section B of the solicitation in the same manner as we calculated the cost for the basic quantity.

CONTINUATION SHEET	Reference No. of Document Be	Page 32 of 34	
	PIIN/SIIN DAAE07-03-Q-S038	MOD/AMD	
Name of Offeror or Contractor:			

(b) Where only one basic quantity destination is identified, we will base our evaluation of transportation costs for the option quantity to that destination. Where two or more basic quantity destinations are identified, we will evaluate the option using the same ratio as the basic quantity.

[End of Provision]

60 52.247-4016 HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS JUL/2002 (TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEBILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

CONTINUATION SHEET		Reference No. of Document Be	Page 33 of 34	
		PHN/SHN DAAE07-03-Q-S038	MOD/AMD	
Name of Offeror	or Contractor:			
LIST OF ATTACHMEN	ITS			
List of Addenda		Title		ber Jages Transmitted By
Attachment 001	TDP IS ON THE WEBPAGE	IILIE	DateOI_F	rages <u>Iransmitted By</u>

CONTINUATION CHEET	Reference No. of Document Bei	Page 34 of 34	
CONTINUATION SHEET	PIIN/SIIN DAAE07-03-Q-S038	MOD/AMD	

Name of Offeror or Contractor:

REPRESENTATIONS.	CEPTIFICATIONS	A NID	OTHER	STATEMENTS	OF	OFFFPOPS

	61	52.215-4005 (TACOM)	MINIMUM ACCEPTANCE PERIOD		OCT	7/1985	
(a)	ACCEPTANCE	PERIOD, as used	in this provision, means the n	umber of calendar days	available to the Governme	ent for awarding a con	tract
from	the date s	pecified in this	solicitation for receipt of of	fers.			
	(b) The G	overnment require	s a mininum acceptance period	of 120 calendar days.			
	(c) In th	e space provided	immediately below, offers may	specify a longer accept	ance period than the Gove	ernment's minimum	
requ	irement.						
?The	offeror al	lows the followin	g acceptance period:	calendar days.			
	(d) An of	fer allowing less	than the Government's minimum	acceptance period may	be rejected.		
